


Heating and cooling




Electronic circulators for heating application


Type E../1-5



Δp -c (constant)



Δp -v (variable)



Cast Iron Pump Housings	Thread	Dimensions	
	G	A	B
E15/1-5	1"	65	130
E25/1-5	1"1/2	65	130
E25/1-5	1"1/2	90	180

E../1-5	n	P1	I
	1 / min	W	A
	max 2450	69	0,30
min 1750	54	0,24	

Cast Iron Pump Housings	Thread	Dimensions	
	G	A	B
E20/1-5	1"1/4	65	130
E30/1-5	2"	90	180

E../1-5	n	P1	I
	1 / min	W	A
	max 2300	90	0,40
min 1150	48	0,21	

Data for composite pump housings available on request

Nota bene : tolerances of each curve are according to EN 1151-1:2006

Wilointec

50 av. Casella
F-18700 Aubigny sur Nère
Tel : +33 2 48 81 62 62
Fax : +33 2 48 58 20 29
www.wilointec.com

information@wilointec.com

Sales & Marketing Director

Vincent Fleurier
Tel : +33 2 48 81 62 74
Fax : +33 2 48 58 20 29
vincent.fleurier@wilointec.com

Sales Administration Manager

Véronique Martin
Tel : +33 2 48 81 62 75
Fax : +33 2 48 58 20 29
veronique.martin@wilointec.com

Sales Manager France & Spain

Robert Carre
Tel : +33 2 48 81 62 72
Fax : +33 2 48 58 20 29
robert.carre@wilointec.com

Sales Manager Italy

Dario Frazza
Tel : +39 335 762 6181
Fax : +39 059 286 0855
dario.frazza@wilointec.com

Sales Manager Subsidiaries

Gilles Moulin
Tel : +33 2 48 81 62 25
Fax : +33 2 48 58 20 29
gilles.moulin@wilointec.com

Sales Manager Germany

Thomas Merscheim
Tel : +49 172 352 3933
Fax : +49 231 410 2578
thomas.merscheim@wilo.de

Sales Manager UK

Kevin Padmore
Tel : +44 776 801 8879
Fax : +44 128 373 2380
kevin.padmore@wilointec.com

Sales Manager Benelux

Ronald Rijkhoff
Tel : +31 653 126 749
Fax : +31 251 215 214
ronald.rijkhoff@wilo.nl